GENERAL INDEX TO VOLUME 21, 1984

(New names are indicated by **boldface**, synonyms by *italics*)

Acanthocyclops vernalis 380
Acari—see mite, tick & individual taxa
acaricide—see pesticide
Acarus reflexus 318
Acomatacarus arizonensis 327
Adenoplura 175
Aedes, genetics of 540–47
  new Coelomomyces from 379–83
  aegypti 48–49, 58, 61, 63, 67, 98, 183, 185, 237, 294, 337, 342, 412–18, 427, 472, 504, 545–46, 652, 692, 733–35, 737
    host seeking during egg maturation 274–77
    isozyme variation in 706–10
    aegypti 705
    formosus 342, 706
    "queenslandensis" 342
  africanus 739
  albopictus 48, 65, 67, 183, 185, 292, 294, 504
    blood meal size 506–13
  atropalpus 648
  australis 383
    venereal transmission of Sindbis virus 292–95
  baisasi 720–24
  canadensis 266
    Setaria from 472–73
  cantator 379–83
    caloric reserves in 263–67
  cooki 540–46
  flavipennis 65
  flavopictus miyarai 63
  hendersoni 95–96, 385
    phenocopy & polymorphism 237–41
  kesseli 540–46
  malayensis 504
  mariae 648
  mariaensis 504
  melanimon 580–81, 583
  pembaensis 472
  poicilius 65
  polynesiensis 24, 237, 540, 720
  pseudoscutellaris 237, 503
  scapularis, transmission of Rocio virus 34–37
  scutellaris 24
    grp. 540–47
  simpsoni 63, 98, 485
  sollicitans ... 103, 266–67, 379–83
  stimulans 237, 266
  taeniorhynchus 67, 732
  togoi 120–21, 472
  triseriatus 67, 95–96, 241, 292, 294, 366, 368, 372, 374–77, 648, 737
    cell line 501–05
    dispersal 384–91
    transmission of La Crosse virus 249–56
    Verticillium fungus on 751
  trivittatus, blood-feeding patterns 95–99
  vexans 654
    blood-feeding patterns ... 95–99
  vittatus 472
Agastopsylla boxi 392, 394
  hirsutior 392, 394
  nylota 392–94
    euneomys 392, 394
    nylota 394
  pearsoni 392, 394
Aitkenius 268
Alectorobius 344–50
Allodectes 125
Amblyomma americanum ... 88–89, 242, 405–07, 482–84, 692, 741–46
  age-related changes 100–04
  survival in Oklahoma 69–79
  antillorum 311
  borneense infestum 312
  cordiferum 175
  diemeniae 313
  fulvum 314
  geoemydae 175, 314
  hebraeum 90, 188, 514, 520–21, 612
  helvolum 175
  imitator 314
  inornatum 317
  longirostre 311
  macfarlandi 315
  maculatum 242, 624, 631–32
  pecarium 317
  pilosum 317
  scutatum 312
  squamosum 318
  tapirellum 319
  testudinarium 175, 312
  tholloni 90
  triguttatum queenslandensis ... 319
    rosei 319
  usingeri 319
  variegatum, life cycle & colonization 86–90
  varium 314
Amblyospora sp. 265
Anax imperator 143
Andalgalomacarus paraguayensis 327
Anisoptera 289
Anomalohimalaya lama 315
Anopheles 47, 286, 288
  albimanus 179, 582
  albitarsis 342
  atroparvus 91
  balabacensis 145–46
  barberi 366, 368–69, 372, 374–75, 377
  culicifacies 202
  gambiae 342, 648
  leucosphyrus, a mutant in 145–48
  maculipennis 648
  nuneztovari 342
  peditaeniatus 283–84, 290
  philippinensis 290
  plumbeus 375
  quadrimaculatus 733–37, 739
  sinensis 290
  stephensi 202, 413, 417, 733, 735, 737
  subpictus 202
  vagus vagus 289–90
Anoplura, function of cephalic outgrowths in 470–71
Antricola 313
Apodicheles 130
Aponomma elaphensis 314
  kraneveldi 315
  soembawensis 318
  sphenodonti 315
  varanensis 175
arbovirus—see virus
Argas abdussalami 311
  africolumbae 311
  arboreus 311, 565
  australiensis 311
  ceylonensis 312
  confusus 312
  cooleyi 313
  cordiformis 312
  dalei 313
  daviesi 313
  dewae 313
  dulus 313
  echinops 313
  falco 314
  giganteus 314
  himalayensis 314
  japonicus 315
  lowryae 315
  macrodermae 315
  monachus 316
  moreli 316
  neghmei 316
  nullarborensis 317
  persicus 565
  polonicus 317
  pusillus 318
  ricei 318
  robertsi 318
  streptopelia 319
  theilerae 319
  turicata 319
  walkerae 320
  zumpti 320
Argasidae 118–19, 244, 344–50, 536–39, 612–14, 692–702
Armigeres obturbans 472

GENERAL INDEX TO VOLUME 21, 1984

(New names are indicated by **boldface**, synonyms by *italics*)

Acanthocyclops vernalis 380
Acari—see mite, tick & individual taxa
acaricide—see pesticide
Acarus reflexus 318
Acomatacarus arizonensis 327
Adenoplura 175
Aedes, genetics of 540–47
  new Coelomomyces from 379–83
  aegypti 48–49, 58, 61, 63, 67, 98, 183, 185, 237, 294, 337, 342, 412–18, 427, 472, 504, 545–46, 652, 692, 733–35, 737
    host seeking during egg maturation 274–77
    isozyme variation in 706–10
    aegypti 705
    formosus 342, 706
    "queenslandensis" 342
  africanus 739
  albopictus 48, 65, 67, 183, 185, 292, 294, 504
    blood meal size 506–13
  atropalpus 648
  australis 383
    venereal transmission of Sindbis virus 292–95
  baisasi 720–24
  canadensis 266
    Setaria from 472–73
  cantator 379–83
    caloric reserves in 263–67
  cooki 540–46
  flavipennis 65
  flavopictus miyarai 63
  hendersoni 95–96, 385
    phenocopy & polymorphism 237–41
  kesseli 540–46
  malayensis 504
  mariae 648
  mariaensis 504
  melanimon 580–81, 583
  pembaensis 472
  poicilius 65
  polynesiensis 24, 237, 540, 720
  pseudoscutellaris 237, 503
  scapularis, transmission of Rocio virus 34–37
  scutellaris 24
    grp. 540–47
  simpsoni 63, 98, 485
  sollicitans ... 103, 266–67, 379–83
  stimulans 237, 266
  taeniorhynchus 67, 732
  togoi 120–21, 472
  triseriatus 67, 95–96, 241, 292, 294, 366, 368, 372, 374–77, 648, 737
    cell line 501–05
    dispersal 384–91
    transmission of La Crosse virus 249–56
    Verticillium fungus on 751
  trivittatus, blood-feeding patterns 95–99
  vexans 654
    blood-feeding patterns ... 95–99
  vittatus 472
Agastopsylla boxi 392, 394
  hirsutior 392, 394
  nylota 392–94
    euneomys 392, 394
    nylota 394
  pearsoni 392, 394
Aitkenius 268
Alectorobius 344–50
Allodectes 125
Amblyomma americanum ... 88–89, 242, 405–07, 482–84, 692, 741–46
  age-related changes 100–04
  survival in Oklahoma 69–79
  antillorum 311
  borneense infestum 312
  cordiferum 175
  diemeniae 313
  fulvum 314
  geoemydae 175, 314
  hebraeum 90, 188, 514, 520–21, 612
  helvolum 175
  imitator 314
  inornatum 317
  longirostre 311
  macfarlandi 315
  maculatum 242, 624, 631–32
  pecarium 317
  pilosum 317
  scutatum 312
  squamosum 318
  tapirellum 319
  testudinarium 175, 312
  tholloni 90
  triguttatum queenslandensis ... 319
    rosei 319
  usingeri 319
  variegatum, life cycle & colonization 86–90
  varium 314
Amblyospora sp. 265
Anax imperator 143
Andalgalomacarus paraguayensis 327
Anisoptera 289
Anomalohimalaya lama 315
Anopheles 47, 286, 288
  albimanus 179, 582
  albitarsis 342
  atroparvus 91
  balabacensis 145–46
  barberi 366, 368–69, 372, 374–75, 377
  culicifacies 202
  gambiae 342, 648
  leucosphyrus, a mutant in 145–48
  maculipennis 648
  nuneztovari 342
  peditaeniatus 283–84, 290
  philippinensis 290
  plumbeus 375
  quadrimaculatus 733–37, 739
  sinensis 290
  stephensi 202, 413, 417, 733, 735, 737
  subpictus 202
  vagus vagus 289–90
Anoplura, function of cephalic outgrowths in 470–71
Antricola 313
Apodicheles 130
Aponomma elaphensis 314
  kraneveldi 315
  soembawensis 318
  sphenodonti 315
  varanensis 175
arbovirus—see virus
Argas abdussalami 311
  africolumbae 311
  arboreus 311, 565
  australiensis 311
  ceylonensis 312
  confusus 312
  cooleyi 313
  cordiformis 312
  dalei 313
  daviesi 313
  dewae 313
  dulus 313
  echinops 313
  falco 314
  giganteus 314
  himalayensis 314
  japonicus 315
  lowryae 315
  macrodermae 315
  monachus 316
  moreli 316
  neghmei 316
  nullarborensis 317
  persicus 565
  polonicus 317
  pusillus 318
  ricei 318
  robertsi 318
  streptopelia 319
  theilerae 319
  turicata 319
  walkerae 320
  zumpti 320
Argasidae 118–19, 244, 344–50, 536–39, 612–14, 692–702
Armigeres obturbans 472

Ascaridia galli 621–32
Ascogregarina barretti 751
Aulonaustus 126
Austracarus 31, 33
Bacillus thuringiensis
  var. israelensis 751
Bakericheyla 130
bartonellosis 597
beetle, cereal leaf 489
Belminus 478
Blastocladiales 379–83
Boophilus annulatus ... 315, 317, 624
  intraoculatus 315
  kohlsi 315
  microplus 88, 188, 296, 305, 312, 315, 612, 623, 632
Borrelia crocidurae 536–39
Bovicola bovis 622, 626, 632
Brucellaceae 361
Brumptomyia hamata 600
  leopoldoi 600
  pentacantha 597
bug, bed 623
Bunyavirus—see virus
Calanoida 288
Calliphora vicina 159
  sp. 110, 613–14
Calliphoridae 105–13, 116–17, 159–64, 351–56, 615
Cambarus diogenes
  ludovicianus 725
Cardiosoma carnifex 725
Carebareia 268
Cavernicola pilosa 478
Cellia 290
Ceratixodes 480
Ceratopogonidae 194–203, 289, 447–69, 527–35, 636–47
Chagas' disease 204, 548
Chalcidoidea 724
Chaoboridae 366–78
Cheladonta 268
Cheyletidae 125–31
chigger 17, 278–79
  new records 257–62, 327–35
  new taxa 31–33, 80–81, 137–39, 257–62, 268–73, 327–35, 524–26, 690–91
Chironomidae 289
Chlorotabanus crepuscularus 30
Chondromyces crocatus 22
Chortophaga viridifasciata 91
Chrysomya, in the
  New World 105–13
  albiceps 105–10, 112
  chloropyga 105, 112
  incisuralis 106–07
  megacephala 105–07, 112
  putoria 105–10, 112
  rufifacies 105, 107, 110, 112
Chrysops sp. 30
Chytridiomycetes 379–83
Cicadellidae 724
Cimex lectularius 623, 631–32
Citrobacter sp. 62
Cladocera 289
Cochliomyia—see also screwworm
Cochliomyia hominivorax 112, 116–17
  Proteus isolated from ... 159–64
  macellaria 105, 110, 112
  sp. 110
cockroach 122, 204
Coelomomyces opifexi 383
  psorophorae 379–83
  sp. 289–90, 379–80, 382
Coleoptera 288–89
Collembola 279
Copepoda 288–89, 724–25
Corethrella appendiculata 366, 368–69, 372, 375
Corixidae 289
Coromyia 711
Corynebacterium parvum 632
Cowdria ruminantium 86
Coxiella burneti 114
crab, land 725
crawfish 725
Crustacea 289
Ctenocephalides canis 665, 668
  felis 665, 668
    fecundity & longevity ... 727–31
    murine typhus in 675–80
Ctenophthirus cercomydis 471
Culex fuscocephala 283
  globocoxitus 342
  nigripalpus 48, 67, 95, 733–37, 739
  pallens 342
  pipiens 24, 120, 417, 648–49, 652–54
    fatigans 412, 427, 472
    pipiens 412
  pseudovishnui 290
  quinquefasciatus 65, 412, 417, 581–82, 732–33, 736–37
    control of 489–500
    effects of
      cyromazine on 427–31
    gamma irradiation of 91–94
  restuans 648–49, 652–54
  salinarius 648–49, 652
  tarsalis 95, 253, 412, 427, 714, 717, 732
    aerial ULV adulticides against 573–85
  territans 649, 652–54
  tritaeniorhynchus 249–50, 255, 283, 290–91
  tuberis 720–23
  univittatus 95
  vishnui 283–84, 288, 290
  sp. 284, 286, 288–90, 367–68, 648–55, 732
Culicidae 34–51, 63–68, 91–94, 120–21, 132–36, 145–58, 183–87, 237–41, 249–56, 263–67, 274–77, 283–95, 336–43, 366–91, 412–18, 427–31, 489–513, 540–47, 567–85, 648–55, 706–10, 720–26, 751
Culicoides 49, 201, 534
  tergal pigmentation
    patterns in 636–47
  austeni 527
  barbosai 201
  cornutus 201
  furens 636–47
  grahami 527
  impunctatus 527–28, 530, 532
  marmoratus 201
  nubeculosus 532
  obsoletus 198
  pallidipennis 201
  schultzei 201
  sinanoensis 201
  variipennis 447, 458, 636–47
    dispersal & gonotrophic age 527–35
    survivorship 194–203
Culiseta 367–68
  bionomics of 38–51
  incidens 120
  inornata 382–83, 717
  melanura 38–51, 95
    population structure & nectar feeding 567–72
  morsitans 38–51
Cyclopodia 288
Cyclops 288
cyromazine 419–31
Cystoidosoma 125
Delmohius 268
Demodex criceti 631
  sp. 631–32
Dermacentor albipictus 188, 741–46
  andersoni 296, 310, 316, 320–23, 325, 405, 629
  atrosignatus 169–70, 174, 586–91
  auratus 169–75, 586
  compactus 174–78, 586
  confragus 312
  dissimilis 313
  halli 314
  hunteri 314
  latus 315
  occidentalis 321, 325, 405, 692–700
  silvarum ablutus 318
  variabilis 165–66, 188, 192, 321–24, 405–07, 483, 692, 743–44, 746
    cheliceral digits & sex pheromone 296–306
    ecdysteroids in 514–23
    thelytoky in 307–09
Dermadelema 268, 271
  furmani 268, 271
  lynnae 273
  mojavense 269, 271
  sleeperi 271
Dermatobia hominis 246–47
Dermonoton 409
Diamanus montanus 665, 668
Diatomineura grisea 225
  seminigra 222
Dictya montana 123
Dinopsyllus lypusus 671–72
Dipetalonema arbuta 472
  reconditum 3, 5–7, 12

Diptera—see family, genus & species headings
Dirofilaria 472
immitis, landscape epidemiology of 1–16
dirofilariasis, canine 2
disease—see specific headings; see also virus
Docophthirus acinetus 471
dragonfly 143
Drosophila melanogaster 91, 94, 422
willistoni 342
Dytiscidae 289
ecdysteroid—see hormone
Echidnophaga gallinacea 665
Echinophthiriidae 470
Ectonyx 268
Enderleinellidae 471
Ephemeroptera 289, 724
epizootic hemorrhagic disease 636
Erephopsis leucothorax 225
Eubacteriales 361
Eulinognathus 471
Euschoengastia 268
sloomi 269
terrestris 269
Euschoengastoides 268
Eusimulium 358
Eutrombicula alfreddugesi 281
batatas 335
conantae 257
wichmanni 258
Evandromyia 600
Fainiella 139
Fannia canicularis 420
femoralis 420
Farrelloides 329, 332
Fidena 234
castanea 221
filaria 447, 472–73
filariasis 1, 13, 37
flea 12, 246, 670–74, 692
new taxa 392–94
cat 665, 668, 675–80, 727–31
dog 665, 668
European rabbit 679
ground squirrel 668
oriental rat 665, 675
sticktight 665
fly 246, 351–56
black 358, 474, 692
blow 105, 110
face 82–85, 361–65, 419
horn 58–62
house 82–85, 159, 357, 362, 419–20
marsh 123
muscoid 629
sand 243, 592–611, 656–64, 681–89, 692, 711–13
screwworm 116–17, 159–64
stable 58–60, 62, 179–82, 243
Foleyella 472
Formicidae 724
Francisella tularensis 165–68
fungus—see individual taxa
Gahrliepia chinensis 524
disparunguis 139, 524
ewingi 139, 524
fulleri 139, 524
granulata 690
karinensis 137
lorentzi 524
lupella 139, 524
morrowae 139
naniparma 524
sinensis 690
tuberculata 690–91
Garnhamphysalis 175
Gastropoda 289
Gecarcinidae 720
Gecarcoidea lalandi 720
Geomydoecus 432–46
angularis 437, 441
bajaiensis 436
californicus 436, 441
aurei 436
limitaris 436
centralis 444
fulvi 444
guadalupensis 441
hueyi 441
idahoensis 444
oregonus 437, 441, 444
shastensis 441, 444
subcalifornicus 436, 441
tolucae 437, 444
warmanae 436, 444
Gerridae 289
Glaucalges attenuatus 409
Glossina morsitans morsitans 58, 61
transmission of Leishmania ... 243
Glossinidae 243
Gomphostilbia 358
Guntheria domrowi 257, 262
Haemaphysalis 174
anoplos 311
atherurus 311
bandicota 312
bartelsi 312
bequaerti 312
bispinosa 175
bremneri 312
calva 175
capricornis 312
cornupunctata 313
darjeeling 313
davisi 313
doenitz 312
fossae 314
fugisana 314
garwalensis 314
heinrichi 314
hoogstraali 314
hylobatis 314
hyracophila 314
hystricis 170
indoflava 314
juxtakochi 315
kadarsani 315
kashmirensis 315
kitaokai 315
kutchensis 315
kyasanurensis 315
lagrangei 175, 315
lemuris 315
leporispalustris 167
luzonensis 315
mageshimaensis 316
megalaimae 316
minuta 316
moreli 316
nadchatrami 175
nepalensis 316
nesomys 316
ornithophila 317
palawanensis 317
papuana 175
paraleachi 317
paraturturis 317
petrogalis 317
phasiana 317
pospelovashtromae 317
psalistos 317
punctaleachi 318
ramachandrai 318
ratti 318
renschi 318
rusae 318
sciuri 318
semermis 175
shimoga 313
silvafelis 318
simplicima 318
spinulosa 314
subelongata 319
sumatraensis 319
sundrai 319
susphilippensis 319
theilerae 319
tibetensis 319
tiptoni 319
traubi 319
vietnamensis 320
zumpti 320
Haematobia irritans, midgut hemolysis 59–62
Haematopinus eurysternus .. 626–27
Haliplidae 289
heartwater 86
heartworm, canine 1–16
Helosciomyisinae 123
Hemiptera 140–44, 204–12, 477–79, 548–60, 703–05, 750
Heteroptera 289
Hippoboscidae, new records 245
Homoptera 724
Hoplopleura 471
hormone, beta-ecdysone 188–93, 612–14
20-hydroxyecdysone 514–23, 561
juvenile 419, 561–66
host defensiveness 732–40
Hyalomma anatolicum excavatum 114, 155
arabica 114, 311

dromedarii 114–15, 188–93, 514, 522
JH effects on 561–66
impeltatum 114
marginatum rufipes 114–15
turanicum 114–15
punt 318
schulzei 114–15
steineri codinai 319
truncatum 114–15
sp. 114, 561
Hyalommina 114
Hybomitra lasiophthalma 29–30
sp. 28
Hydrometra 290
Hydrometridae 289–90
Hydrophilidae 289
Hymenoptera 703–05, 724
Hypoderma sp. 246
hypovitaminosis A 361
Hystrichopsylla occidentalis 673
linsdalei 673
Hystrichopsyllidae 392–94
Indocentor 169–78, 586–91
steini leviculus 319
steini 319
infectious bovine rhinotracheitis 361
Ingramia 486
Ixodes 174
affinis 318
albignaci 311
amersoni 311
andinus 311
angustus 165–66
woodi 311
antechini 311
arabukiensis 311
arboricola 317
auritulus 480
baergi 312
banksi 312
bequaerti 312
brewsterae 312
catherinei 312
ceylonensis 312
chilensis 312
colasbelcouri 312
collocaliae 312
conepati 312
cookei 165–67
copei 313
cordifer bibax 313
corwini 313
cuernavacensis 313
dammini 313
geographic distribution 741–49
Lyme disease in Connecticut 52–57
dampfi 313
dentatus 313
domerquei 313
downsi 313
drakensbergensis 313
eadsi 313
eastoni 313
eudyptidis 480
hearlei 314
himalayensis 314
holdenriedi 314
holocyclus 324
hoogstraali 314
howelli 314
hyatti 314
jacksoni 315
jellisoni 315
jonesae 315
kaiseri 315
kingi 315
kohlsi 315
kopsteini 317
kuntzi 315
laysanensis 315
leachi 315
macfarlanei 315
malayensis 316
marmotae 316
marxi 316
matopi 316
mexicanus 316
minor 312
mitchelli 316
montoyanus 316
muniensis 316
muris 316
murreleti 316
myotomys 316
neitzi 316
neotomae 316
nesomys 317
nuttallianus 316
ochotonae 317
okapiae 317
pacificus 56, 317, 321–22, 324–25
peromysci 317
philipi 317
pomerantzi 317
procaviae 317
radfordi 318
radriansoloi 318
ricinus 56, 480
rothschildi, isolation of virus from 480–81
rugicollis 318
rugosus 312
scapularis 317–18
sculptus 311, 318
shahi 318
sigelos 318
signatus 480
simplex 311
sinaloa 318
taglei 319
tamaulipas 319
tancitarius 319
tanuki 319
tecpanensis 319
texanus 319
thomasae 319
tiptoni 319
tovari 319
transvaalensis 319
tropicalis 319
uriae 480–81
uruguayensis 319
venezuelensis 320
walkerae 320
woodi 311
zaglossi 320
zairensis 320
Ixodidae 52–57, 69–79, 86–90, 100–04, 169–78, 188–93, 242, 296–309, 321–26, 344–50, 480–81, 514–23, 536–39, 561–66, 586–91, 692–702, 741–49
Francisella & Powassan virus from 165–68
in Saudi Arabia 114–15
Kaiseriana 175
ked, deer 245
sheep 627
keratoconjunctivitis 82, 361
Kramerella 409
Kramerellidae 409–11
larvicide—see pesticide
Leeuwenhoekiinae 31–33, 327
Leishmania braziliensis panamensis 605
major 243
mexicana 243, 659
aristedesi 605
tropica 243
sp. 243, 622
leishmaniasis 243, 597
Lepmia 222
Leptoconops 460–61, 468
bionomics & vector potential 447–59
becquaerti 447, 458, 468, 532
carteri 458, 460, 467–68
foulki 447–59, 460–61, 468
kerteszi 447–48, 456, 458, 460, 465, 468
knowltoni 447–61, 468
mediterraneus 447
torrens 447
bionomics 460–69
Leptopsylla segnis 676–78, 680
Leptotrombidium 278–82, 332
karyotypes 616–17
akamushi 17, 278, 281
arenicola 616–17
rickettsia in 17–27
deliense 278, 281, 616–17
fletcheri 17, 616–17
repellent tests against ... 278–82
intermedium 257
pallidum 17
pavlovskyi 17
scutellare 17
Leucophae maderae 204
Leucotabanus annulatus 30
Limulus 613
lindane 248
Linognathus 471
vituli 626, 632
Lipoptena depressa depressa 245
pacifica 245
Listeria 361

Listrapha *acutipalpis* 217, 219
grisea 217, 221, 225
imitans 217–19
Listraphella *schoenemanni* ... 217, 219
Listriosca *angustifrons* 221
farinosa 217, 219
Loomisia alcithoae 80
bulbocalcar 80
desmodus 80
peruviensis 80, 335
sprocssi 80
univari 80
yunkeri 80
louse 247, 622–27, 692
chewing 432–46
chicken body 626
pocket gopher 433
sucking 470–71
Loxosceles 247
Lutzia 285–86, 290
Lutzomyia abunaensis 597, 600
amazonensis 605
andina 595–96
anthophora 681, 685, 688
biology 656–64
aulari 592–96
ayrozai 605
beltrani 711
brasiliensis 600
californica 657, 663
cayennensis 597
cellulana 603
claustrei 605
colombiana 594
corrossoniensis 605
deanei 600
deleoni 711
diabolica 657, 659, 662
dorlinsis 605
dysponeta 600
flaviscutellata 657, 662–63
geniculata 605
gomezi 657, 663
guyanensis 605
hartmanni 605, 610
howardi 603
infraspinosa 600
isovespertilionis 711
longipalpis 597, 657–58, 660–61, 663, 681–82, 685, 688, 713
loretonensis 603
meirai 603
monticola 597, 610
moralesi 595
napoensis 600–01, 603
nevesi 600
octavioi 603
olmeca bicolor 603
omagua 603
panamensis 663
paraensis 605
pessoana 663
reburra 603
robini 605
ruii 603
sallesi 600
saltuosa 603
sanguinaria 610, 657, 663
scorzai 610
sericea 600
stewarti 657, 663
torrealbai 596
tortura 605
trapidoi 605, 661, 663–64
trinidadensis 610
verrucarum grp. 595–96
vesicifera 711
vespertilionis 711
wilkersoni 603
ylephiletor 597, 605, 663
zeledoni 711–13
sp. 592, 597, 600, 685, 688
Lyme disease 52–57, 741
Lynchiella 338
Malaraeus telchinus 673
malaria 145
Malaya genurostris 63, 65
Mallophaga 432–46
Mansonella ozzardi 447, 636
Mansonia 286
Margaropus reidi 318
wileyi 320
Melophagus ovinus 627
Melphia *pallida* 234
Menacanthus stramineus 626
Mesocyclops leukarti 724–25
Mesostigmata 616
Metacheyletia **longisetosa** ... 125–26
obesa 125, 129–30
Microphthirus uncinatus 471
Microtrombicula nicaraguae 335
pearsoni 332
Microvelia capitata 290
mite (see also individual taxa) ... 19, 21, 23, 126, 631–32
bat 444
bird 444
cheyletid, new sp. 125–31
chigger 278, 281
feather 126
new taxa 409–11
mange 623
myobiid 444
quill 125
tropical rat 278
miticide—see pesticide
mollusk 123
Monoculicoides 201
Moraxella bovis 361–63
Morops 358
mosquito (see also Culicidae) 1–16, 34–37, 49, 63–68, 91, 95, 103, 132, 149–58, 237, 246, 249–56, 263, 265, 274, 278, 283–93, 395, 412–13, 483, 648, 692
computers used in control of 489–500
engorgement success 732–40
crab-hole 720–26
salt-marsh 379–83
tree-hole ... 249, 366–78, 485, 751
moth 717
Multidentatus 480–81
Musca 613
autumnalis 107
prestomal teeth in 82–85
relationship to pinkeye .. 361–65
domestica 159, 362
effects of cyromazine on 419–26
fluorescent marking for mark-recapture 357
prestomal teeth in 82–85
Muscidae 58–62, 82–85, 179–82, 357, 361–65, 419–26
Mycoptes musculinus 632
myiasis 105, 107, 112, 246, 615
Myxococcus 24
xanthus 22
Naididae 289
Neisseria 361
nematode 82, 361, 472–73, 511
Neocheyletiella 130
Neolipoptena ferrisi 245
Neopetitota 409–11
bubonis 409–10
Neoschoengastia americana 262
egretta 262
ewingi 262
gettmani 258, 262
posekanyi 262
sp. nr. gallinarum 257
Neotrombicula megensi 257
tamiyai 257
Nepidae 289
Nostoc 24
sphaericum 22
Nothoaspis reddelli 318
Notonectidae 289
nutrition, effects on ectoparasites 621–35
Nyssorhynchus 648
Oestrus ovis 247
Oligochaeta 289
Onchocerca sp. 196
onchocerciasis 1
Opifex fuscus 383
Ornamentum 565
Ornithocheyla 130
Ornithocheyletia garrulax 130
Ornithocheyletini 130
Ornithodoros, host associations 118–19
amblus 349
anduzei 311
apertus 311
arenicolous 311
azteci 311–12
boliviensis 312
capensis 349
casebeeri 312
chironectes 312
chiropterphila 312
clarki 312
collocaliae 312
compactus 312
concanensis 118–19, 311–12
coniceps 349
coprophilus 313
coriaceus 565, 662, 692–700

darwini 313
denmarki 313, 344, 349
dugesi 662
dusbabeki 313
dyeri 313
eboris 313
echimys 313
elongatus 314
eptesicus 314
eremicus 314
erraticus, Borrelia in 536–39
faini 314
galapagensis 314, 344
graingeri 314
grenieri 314
indica 314
kelleyi 315
knoxjonesi 315
macmillani 315
madagascariensis 316
marinkellei 316
maritimus 316, 349
marmosae 316
mimon 316
mormoops 316
moubata 104, 188, 191–93, 483, 514, 612, 631
muesebecki 316, 349
parkeri 317, 565, 612–14
  apolysis in 612–14
peropteryx 317
peruvianus 317
porcinus domesticus 317
  porcinus 317, 561, 565
puertoricensis 662
rennellensis 318
rossi 318
salahi 318
sawaii 318, 349
setosus 318
sparnus 318
stageri 319
talaje 344
tiptoni 319
turicata 188, 662
tuttlei 319
vansomereni 320
vigurasi 320
yumatensis 320
yunkeri 344–50
Ornithonyssus bacoti 278
Orthopodomyia signifera 366, 368–70, 372, 374–77
Ostracoda 289, 724
Otobius lagophilus 315
  megnini, human parasitism by 244
Oulema melanopus 489
Pandalura strigisoti 409
Pangonia *chlorogaster* . . 222, 224, 232
  jucunda 217, 221
  lasiophthalmus 222
  tabanipennis 221
Pangoniinae 213
Panstrongylus geniculatus 750
  rufotuberculatus 750
Paraguacarus 31, 33, 329
abrelli 329
callosus 31, 329
Paralgopsis 126
Paratrombicula 332
enciscoensis 329
Parosca *jucunda* 221
  olivaceiventris 228
Pavlovskyella 536–39, 565
pediculosis 246
Pediculus humanus 247, 536
Periplaneta americana 122, 204, 717
  sp. 122
Persicargas 565
pesticide 248
  acaricide 86
  bendiocarb 574, 581
  chlorpyrifos 574, 576, 580–81, 583
  DDT 412
  fenitrothion 412
  larvicide 412
  malathion 412–18, 574, 583
  miticide 278
  organochlorine 412
  organophosphate 412–18
  resmethrin 574, 581, 583
  temephos 412
Phaenicia caesar 110
  sericata 112
    in human myiasis 615
  sp. 110
Phanuropsis semiflaviventris 705
pheromone, 2,6-dichlorophenol 517, 522–23
Phlebotominae, checklist of Ecuador sand flies 597–611
  follicular development in 681–89
  new taxa 592–96, 711–13
Phlebotomus affinis 603
  longipes 657, 661, 663
  papatasi 661, 681–83, 687–88
Phlebovirus—see virus
Phthirus pubis 247
pinkeye 82, 361–65
plague 1, 665, 670
Plasmodium 511, 714
Polyplacidae 471
Polyplax serrata 622
  spinulosa 625, 631
Proctophyllodidae 125
Proteus 24
  mirabilis 22, 159–64
Providencia rettgeri 159–61, 163
Psammolestes arthuri 703–05
Pseudoscione 213–36
Psittacidae 125
psittacosis 361
Psitticula sp. 125
Psorophora ferox 34, 48–49
Psoroptes ovis 623
Psychodidae 592–611, 656–64, 681–89, 711–13
Pterolichoidea 409–11
Pulicidae 665–69, 675–80, 727–31
Q fever 114, 310, 699
Quadraseta 268
  antillarum 332
  brennani 332
Ravenalites 486
Reduviidae 140–44, 204–12, 477–79, 548–60, 703–05, 750
Reduvius sp. 141
relapsing fever, tick-borne 310
repellent 278–82
  Azone 665, 668
  benzyl benzoate 278, 668
  Chigg Away 278
  Citronyl 279–80, 665
  desin 278
  dibutyl phthalate 278–80, 665, 668
  diethyl toluamide 278–79, 281, 665–66, 668
  dimethyl phthalate 278–81, 665–66, 668
  ethyl hexanediol 278–80, 665
  Indalone 278–81, 665, 668
  lindane 278
  MGK 279–80, 665
  permethrin 281
    against ticks 692–702
  pyrethrum 278
  RH 281
  SRI 279, 281
  Stabilene 279–80, 665
  Tween 668
  USDA 279, 281
Rhipicephalus appendiculatus . . . 188
  camelopardalis 312
  carnivoralis 312
  haemaphysaloides 175
  ramachandrai 318
  sanguineus 188, 319, 405–07, 483, 565
  zambeziensis 320
Rhodnius 629
  prolixus 212, 557–59, 703–05
    compound eyes of 477–79
Rhynchoprion persicus 317
rickettsia 1, 20–24, 86, 361, 405–08
Rickettsia
  mooseri 675–80
  rhipicephali 405
  rickettsii 407
  tsutsugamushi 17–27, 278
  typhi 675
Rocky Mountain spotted fever 310, 405, 514, 699
Salmonella 105
  typhimurium 159–62
Sarcophaga bullata 419, 422
Sathrax durus 471
scabies 246
Scaphixodes 480
Scaptia, review of South American 213–36
  atra 215, 217, 221, 225
  australis 214, 217–19, 224, 229, 232–33, 235

dorsoguttata 214, 217–18, 229, 235
fenestra 214, 219, 222
flavipes 221, 235
grisea 215, 217, 221
hibernus 215, 222
jucunda 225
latipalpis ... 215, 222, 224, 232–34
leucothorax ... 215, 217, 221, 225
longipennis 213–15, 228–29
olivaceiventris 228
pallida 234
seminigra 222
stictica 214, 229
subandina 214–15, 229, 232
subappendiculata 228–29
subulipalpis 215, 222, 224–25, 232–33
viridiventris 214, 234
vittata 214, 217, 221, 229, 235
Scelionidae 703–05
Schoengastia pobsa 257
Schoengastiella 139
Sciomyzidae 123
Scione sp. 213
Scionini 213
scorpion 140
screwworm 159–64
attraction & oviposition responses 351–56
Serratia marcescens 160–61
Setaria equina 472–73
Simuliidae 358, 474–76
Simulium ambigens 358
baisasae 358
ceylonicum 358
jenningsi, flight patterns of 474–76
melanopus 358
Sinella curviseta 19, 279
Siphonaptera 393–94, 665–80, 727–31
snail 123
Spilopsyllus cuniculi 679
spirochete 52–57, 536–39
Staphylococcus aureus 160–61, 163, 622
pyogenes 163
Stegomyia 63, 540–47, 648
Stomoxys calcitrans 58, 60–62, 243, 422
mating competitiveness in irradiated males 179–82
Stratiomyidae 289
Streptococcus faecalis 160–61, 163
Synechococcus sp. 22
Syringophilidae 127, 409
Tabanidae 213–36
equine infectious anemia in 28–30
Tabanus americanus 30
atratus 30
fuscicostatus 30
lineola 29–30
nigripes 30
petiolatus 30
sulcifrons 30
trimaculatus 30
sp. 28
techniques
Aedes triseratus cell line 501–05
computer maps in mosquito control 489–500
electrophoresis, comparison of Toxorhynchites 336–43
in Culex identification .. 648–55
ELISA 506–13
estimation of mosquito populations 720–26
flea index 670–74
fluorescent marking in house fly 357
gravimetry 506–13
hemoglobinometry 506–13
irradiated stable flies, mating competitiveness of 179–82
irradiation of Cx. quinquefasciatus 91–94
normal vs. irradiated sperm in screwworm 116–17
rearing of Amblyomma variegatum 86–90
rubidium as blood meal marker 714–19
Telenomus capito 703–05
fariai 705
Tetanoceridae 289
Tetrahymena sp. 196
Theileria annulata 114
camelensis 114
Theileriella 175
theileriosis 114
Thermocyclops sp. 724–25
Thomomydoecus 432–46
minor 437, 441
dickermani 437
neocopei 437
timmi 437, 441
wardi 437
zacatecae 441
tick 52, 55–56, 69, 71–72, 74–78, 86, 100–01, 114–15, 118–19, 159, 165–68, 174–75, 188–89, 405–08, 480, 482–84, 623–24, 631–32
checklist of types in RML 310–20
new records 242
new taxa 344–50
paralysis 321–26
permethrin against 692–702
American dog 296–309, 321, 323, 514–23
camel 188–93, 561–66
Gulf Coast 242
lone star 69–79, 100–04
Pacific Coast 321, 692–702
pajaroello 692–702
rabbit 167
Rocky Mountain, wood .. 321, 629
spinose ear 244
tropical bont 86, 88
Togaviridae—see virus
Topomyia 65
Toritrombicula 329, 332
gygis 257
nihoaensis 258
nissani 258
oahuensis 258
robusta 258
Toxoplasma gondii 512
Toxorhynchites 65, 149–58, 367, 489
effects on Aedes 132–36
electrophoretic comparison of species 336–43
oviposition site preference 183–87
amboinensis 132–36, 336, 340–41, 343, 504
brevipalpis 337, 340–41
rutilus 132, 149, 336–38, 340–42, 366, 368–70, 374–77
rutilus 67, 132, 336–38
as predator of Wyeomyia 149–58
septentrionalis 149, 186, 336–38, 341–42
splendens 183–87
theobaldi ... 337–38, 340–41, 343
Triatoma 629
barberi, feeding & defecation in 548–60
dimidiata 555, 557–59, 750
dispar 750
gerstaeckeri 662
infestans 557–59
circadian rhythms 204–12
compound eyes of 477–79
neotomae 662
pallidipennis 705
phyllosoma pallidipennis 705
protracta 555, 558
protracta 140–44
recurva 140–41
rubida uhleri 140–44
sanguisuga 662
venosa 750
Triatominae 140
new record 750
Tribolium castaneum 248
Trichodectidae 432–46
Trichophoromyia 600–01, 603
Trichoplusia ni 717
Tripodiatomus 288
Trombewingia 268
Trombicula akamushi 278
scutellaris 278
sp. 692, 699
Trombiculidae (see also chigger) 17–27, 31–33, 80–81, 137–39, 257–62, 268–73, 327–35, 524–26, 616–17, 690–91
Trypanosoma cruzi 204, 478, 548, 555, 703
rangeli 558, 703
trypanosome 511
tularemia 1, 310, 699
typhus, murine 665, 670, 675–80
scrub 1, 17, 278, 616

Uranotaenia ohamai 720–24
yaeyamana 720–23
sp. 721
Veliidae 289–90
virus 292, 412, 447, 480–81, 489, 511, 583
Avalon 165
Bauline 165
bluetongue 194, 447, 636
Bunyavirus 292
Cache Valley 36
California serogroup 501–05
Caraparu 36
Colorado tick fever 165, 699
Crimean-Congo hemorrhagic fever 114
dengue ... 132, 183, 412, 504, 706
encephalitis, eastern equine 38, 50, 395–404, 567
Japanese 249, 292, 504, 512
Japanese B 283
La Crosse 249–56, 292, 384, 501, 503–04, 751
Rocio 34–37
St. Louis 36, 95, 477, 489, 499, 573–74, 648
Venezuelan equine 36
western equine 95, 253, 447, 573–74, 582
epizootic hemorrhagic disease 194
equine infectious anemia ... 28, 30
Flavivirus 292
Great Island 165
Hart Park-Flanders 493
hemorrhagic fever 706
hepatitis B 511
Ilheus 36, 149
Kadam 114
Kairi 36
Kunjin 292
Lanjan 174
Lukuni 36
Maguari 36
Manzanilla 36
Mayaro 36
Phlebovirus 656, 662
poliovirus 105
Powassan 165–68
rabies 1
Rio Grande 656, 659
San Angelo 292
Silverwater 165
Sindbis 292–95
Togaviridae 292
trivittatus 501–04
Uukuneimi 480–81
West Nile 250, 504
Wyeomyia 36
yellow fever 36–37, 132, 292, 412, 504, 706
Walchia 137, 139, 524
Wallacellum 358
wasp, scelionid 703, 705
Whartonacarus 322, 329
Wolbachia 24, 540
pipientis 24
Wyeomyia medioalbipes 67
mitchellii 149, 157
smithii 67, 485
vanduzeei 67, 149–58
sp. 149–51, 154–57
Xenodontacarus 31
Xenopsylla bantorum 671–72
cheopis 24, 670, 675–76, 678–79
repellents against 665–69

VERTEBRATE INDEX

Agelaius phoeniceus 399
Akodon 394
lasiurus 327, 329, 332
Albatross, Black-footed 257
Laysan 262
Alca torda 480
Amazona finschi 125–26
Amblyrhynchus cristatus 348
Ammospermophilus leucurus ... 269
Amphibia 289
Anathana ellioti 471
Andalgalomys pearsoni 31, 327, 329, 332
Anolis carolinensis 658
limifrons 714
Anous stolidus 257
Anura 289
Arenaria interpres 257
Artiodactyla 586
Arvicanthis niloticus 671
niloticus 536–38
Atherurus macrourus 177
bat 80, 118, 140, 335
Beaver 167
Blackbird, Red-winged 397, 399, 402–03
Bobolink 397
Bos taurus 658
Bubo bubo 410
virginianus 409–10
wapacuthu 409
buffalo, domestic 174–75, 177
Bunting, Indigo 397
Calomys callosus 31, 33, 329
laucha 335
camel 114–15
Cardinalinae 399
Castor canadensis 166
cat 56, 97
Catbird, Gray 396–98
Catharus fuscescens 396
cattle 115, 244, 361–65
Cavia porcellus 257
Chickadee, Black-capped 398
chipmunk 97
Eastern 53–55, 166
civet 175
Coturnix coturnix 714
Cowbird, Brown-headed 397
Cricetidae 31–33
Cuckoo, Black-billed 398
deer 52–53, 56, 96–97
Mule 245
White-tailed 53, 55–56, 245, 741–49
Didelphis marsupialis 658
virginiana 54
Diomedea immutabilis 262
irrorata 348
nigripes 257
Dipodomys agilis 269
deserti 269
heermanni 271
merriami 269, 271, 273
microps 269, 271
nitratoides 271
panamintinus 269, 271, 273
stephensi 269
sp. 268, 271
dog .. 1–16, 53, 55–56, 166–67, 174–75, 177, 244, 321–26, 405–08
Drepanididae 257
Dumetella carolinensis 396
Eagle, Golden 118
Emberizinae 399
Equidae 28
Erinaceidae 690
Falcon, Prairie 118
Finch, Laysan 257
Nihoa 258, 262
Purple 398
Flicker, Northern 397
Flycatcher, Great Crested 397
Least 398
Traill's 398
Fox, Gray 323
Fratercula arctica 480
Galea musteloides 329
gecko 257
Banded 140
Geomyidae 432–46
Geomys 433
bursarius 434
gerbil 114, 243
goat 97, 114–15
Goldfinch, American 398
Gopher, Plains Pocket 434
Yellow-faced Pocket 433
Gopherus polyphemus 658

Grackle, Common 397–98
Graomys griseoflavus 329, 335
Grosbeak, Rose-breasted 397
Guinea Pig 257
hamster 243, 631–32, 735
Golden 243, 658–59, 733
hare 115
Hawk, Red-tailed 118
hedgehog 115
Long-eared 536
Hemiechinus auritus 536
horse 28–30, 96–97, 244
Hylocichla mustelina 396
Icterinae 398–99
Insectivora 690–91
Jay, Blue 397
Junco, Dark-eyed 398
Kingfisher, Belted 397
Lepus cuniculus [for Oryctolagus cuniculus] 257
lizard 115, 175
fence 714
Green Anole 658
iguanid 714
Manis javanica 177
Marmota monax 166
Melomys, Long-footed 524–26
lorentzi 524
Melospiza melodia 396
Mephitis mephitis 166
Mesocricetus auratus 658
Microtus californicus 673
pennsylvanicus 166
Mimidae 399
Molossidae 80
Molossops temminckii 335
Monachus shauinslandi 257
mongoose 175
Mouse, Deer 166, 733
field 394
House 257, 733
Vesper 31
Western Harvest 323
White-footed 52–56, 656, 658
Murre, Common 480
Muscicapidae 399
Muskrat 166
Mus musculus 257, 733, 735
Neotoma albigula 140–42, 269
floridana 119
lepida 268–69, 271
micropus 656
sp. 118, 269, 661
Neotrachus sinensis 690–91
Noddy, Common 257
Nuthatch, White-breasted 397
Odocoileus hemionus 245
virginianus 245, 741
Ondatra zibethicus 166
Onychomys torridus 269, 271
opossum 53, 56, 97
Common 658
Virginia 53–55
Oriole, Northern 397
Oryctolagus cuniculus [see also "Lepus" cuniculus] 307
Ovenbird 398
Owl, Great Horned 409
pangolin 174–75
Panthera tigris tigris 177
Pappogeomys 434
castanops 433
parrot 125
Parulinae 398–99
Passer domesticus 403
Peccary, Collared 244
Perognathus baileyi 269
californicus 269
fallax 269, 271
formosus 269, 271, 273
longimembris 269, 271, 273
penicillatus 269
spinatus 269
sp. 271
Peromyscus 394, 661
crinitus 269
eremicus 269, 271
leucopus 52, 656
maniculatus 119, 269, 733
truei 269
sp. 166
Phacellodomus rufifrons 703
inornatus 704
Phasianus colchicus 403
Pheasant, Ring-necked 403
Phoebe, Eastern 118–19
Picidae 398–99
pig 97, 174–78
Plover, Pacific Golden 257
porcupine 174–75
Procyon lotor 52
Pronghorn 244
Puffin, Atlantic 480
Puffinus puffinus 480
python 174–75
reticulatus 177
Quail, Japanese 714
rabbit, domestic 97, 656–59
European 257
Raccoon 52–56, 97
Rat, Kangaroo 268, 271
Nile Grass 536, 671
Polynesian 257
Roof 257
Rattus 174
exulans 257
rattus 257, 675, 679
sabanus 174
surifer 174
Razorbill 480
Redstart, American 397
Reithrodontomys megalotis 269, 323
Robin, American 397–98
rodent 31–33, 114, 118
Rodentia 432–46
Sayornis phoebe 118–19
Sceloporus occidentalis 714
Sciurus carolinensis 53, 166, 658
variegatoides 335
seabird 344–50, 480–81
Seal, Hawaiian Monk 257
Shearwater, Manx 480
sheep 96, 114–15, 244
Shrew, Tree 470–71
Shrew-hedgehog 690–91
skink 257
Skunk, Striped 166
sparrow 398–99
Chipping 398
Field 397
House 403
Lincoln's 398
Savannah 398
Song 396–97
Swamp 397
White-crowned 398
White-throated 397
Spermophilus tereticaudus 141
Squirrel, Gray 53–56, 166, 658
Round-tailed Ground 141
Variegated 335
Strigidae 409
Strix aluco 409–10
Sula dactylatra 349
nebouxii 348–49
Sus barbatus barbatus 174–75
oi 175, 177
scrofa 658
vittatus 174–75, 177
verrucosus verrucosus 174–75, 177
Swallow, Barn 397
Cliff 118
Tree 398
Sylviidae 257
Tamias striatus 53, 166
Taterillus emini 243
Telespyza cantans 257
ultima 258, 262
Tern, Bridled 335
Testudinata 338
Thomomys bottae sspp. 271, 432–46
bulbivorus 432, 435–37, 444
talpoides 436–37
townsendii 432, 435–37, 444
relictus 436, 444
umbrinus sspp. 432, 435–37, 441–42, 444
Thornbird, Plain-fronted 703
Thrasher, Brown 397–99
Thrush, Swainson's 397
Wood 396–98
tiger 174–75
Tomopeas ravus 80, 335
tortoise 175
desert 140
Gopher 658
Towhee, Rufous-sided 397
Tupaia glis 471
Tupaiidae 470–71
Turnstone, Ruddy 257
Tyrannidae 398–99
ungulate 472
Uria aalge 480
Urocyon cinereoargenteus 323
Veery 396–98
Vespertilionidae 80
Vireo, Red-eyed 397
Yellow-throated 397

Vireonidae 399
Viverra tangalunga
tangalunga 175, 177
Vole, California 673
Meadow 166
Warbler, Black-throated Blue ... 398
Canada 398
Chestnut-sided 397
Magnolia 398
Yellow 398
Yellow-rumped 397
Waterthrush, Northern 397
Waxwing, Cedar 397
weasel 175
Wood Pewee, Eastern 398
Woodchuck 166–67
Woodcock, American 397–98
Woodpecker, Downy 398
Hairy 397
Woodrat, Desert 268, 271
Southern Plains 656, 658
White-throated 140
Wren, House 397
Yellowthroat, Common 397
Zalophus wollebacki 348

EDITORIAL ACKNOWLEDGMENTS

The editors wish to acknowledge the following persons, in addition to our editorial board and staff of the Department of Entomology of the Bishop Museum, who reviewed papers during 1983. The names appear alphabetically within groups formed according to approximate numbers of manuscripts refereed, with those groups of individuals who reviewed the most manuscripts appearing first. To all these people who have given valuable assistance, the editors express their appreciation.

W.L. Bidlingmayer (Florida Med. Entomol. Lab.); Reinhart A. Brust (Univ. of Manitoba); Andrew B. Carey (USDA, Olympia); Carleton M. Clifford (Hamilton, Montana); Bruce F. Eldridge (Oregon State Univ.); Andrew J. Main, Jr (Yale Univ. School of Med.); Carl J. Mitchell (CDC, Fort Collins); James Nolan (CSIRO, Indooroopilly); Daniel E. Sonenshine (Old Dominion Univ., Norfolk); Andrew Spielman (Harvard School of Public Health); Constantine H. Tempelis (Univ. of Calif., Berkeley); R.H. Wharton (CSIRO, Queensland); William J. Wrenn (Univ. of North Dakota).

Donald R. Barnard (USDA, Poteau); Allan M. Barnes (CDC, Fort Collins); Dov Borovsky (Florida Med. Entomol. Lab.); A.W.A. Brown (Vaud, Switzerland); Willy Burgdorfer (Rocky Mtn. Lab.); John F. Burger (Univ. of New Hampshire); W.F. Chamberlain (USDA, Kerrville); H.C. Chapman (USDA, Lake Charles); Howard A. Christensen (Gorgas Memorial Lab., Panama); Wayne J. Crans (Rutgers Univ.); Harvey J. Cromroy (Univ. of Florida); Edward E. Davis (SRI International, Menlo Park); Joyce A. DeVaney (USDA, College Station); B. Feldman-Muhsam (Hadassah-Hebrew Univ., Israel); Dana A. Focks (USDA, Gainesville); F.J.H. Fredeen (Agric. Canada, Saskatoon); W.G. Friend (Univ. of Toronto); John E. George (USDA, Kerrville); M. Lee Goff (Univ. of Hawaii); Bernard Greenberg (Univ. of Illinois, Chicago Circle); William L. Grogan, Jr (Salisbury State Coll., Maryland); P.G. Jupp (National Inst. for Virology, Transvaal); Marc J. Klowden (Univ. of Idaho); E.S. Krafsur (Iowa State Univ.); Richard Lane (BMNH, London); Robert S. Lane (Univ. of Calif., Berkeley); Robert E. Lewis (Iowa State Univ.); Richard B. Loomis (Calif. State Univ., Long Beach); John G. Matthysse (Tucson); Ivan N. McDaniel (Univ. of Maine, Orono); Richard P. Meyer (Univ. of Calif., Bakersfield); Simon J. Miles (London School of Hyg. & Trop. Med.); R.W. Miller (USDA, Beltsville); Gary A. Mount (USDA, Poteau); Bradley A. Mullens (Univ. of Calif., Riverside); Bernard C. Nelson (Calif. State Dept. of Health, Berkeley); James H. Oliver, Jr (Georgia Southern Coll.); Richard S. Patterson (USDA, Gainesville); Raymond Russo (Purdue Univ.); Edward T. Schmidtmann (USDA, Beltsville); Carl E. Schreck (USDA, Gainesville); Daniel Strickman (Brooks Air Force Base, Texas); Robert B. Tesh (Yale Univ. School of Med.); R.D. Ward (Liverpool School of Trop. Med.); W. Calvin Welbourn (Ohio State Univ., Columbus); Nixon Wilson (Univ. of Northern Iowa).

T.H.G. Aitken (Yale Univ. School of Med.); David H. Akey (USDA, Denver); John R. Allen (Univ. of Saskatchewan); John F. Anderson (Conn. Agric. Exp. Stn.); John R. Anderson (Univ. of Calif., Berkeley); Theodore G. Andreadis (Conn. Agric. Exp. Stn.); J.J. Arends (No. Carolina State Univ.); Jorge R. Arias (Manaus, Brazil); Monica Asman (Univ. of Calif., Berkeley); David C. Baerg (Panama Canal Comm.); Donald L. Bailey (USDA, Gainesville); A. Ralph Barr (Univ. of Calif., Los Angeles); John C. Beier (USAID, Cairo); Gordon F. Bennett (Memorial Univ. of Newfoundland); Robert S. Berger (Auburn Univ.); Charles E. Bland (East Carolina Univ.); P.F.L. Boreham (Queensland Inst. Med. Res.); A.B. Börkovec (USDA, Beltsville); William E. Bradshaw (Univ. of Oregon); E. Bursell (Univ. of Bristol); James R. Busvine (Maidenhead, Berks., England); Charles H. Calisher (CDC, Fort Collins); Stanley D. Casto (Univ. of Mary Hardin-Baylor); E. Paul Catts (Washington State Univ.); Byron N. Chaniotis (U.S. Army Med. Dept., Panama); W. Chefurka (Agric. Canada, London); Bruce M. Christensen (Univ. of Wisconsin, Madison); G.B. Craig (Univ. of Notre Dame); R.W. Crosskey (BMNH, London); Maxwell M. Crystal (USDA, Beltsville); E.W. Cupp (Cornell Univ.); Elizabeth W. Davidson (Arizona State Univ.); G.R. DeFoliart (Univ. of Wisconsin, Madison); Robert Desowitz (Univ. of Hawaii); Robert Domrow (Queensland Inst. Med. Res.); A.E.R. Downe (Queen's Univ., Kingston, Ontario); J.A. Downes (Agric. Canada, Ottawa); Wilbur G. Downs (Yale Univ. School of Med.); Roger O. Drummond (USDA, Kerrville); John D. Edman (Univ. of Massachusetts, Amherst); Robert E. Elbel (Univ. of Utah); A. Fain (Inst. Med. Trop. Prince Leopold, Antwerp); G.B. Fairchild (Florida Dept. of Agric. & Consumer Serv.); A.M. Fallis (Univ. of Toronto); M. Dora Feliciangeli (Universidad de Carabobo, Venezuela); Woodbridge A. Foster (Ohio State Univ., Columbus); G.N. Fritz (Univ. of Florida); R. Gagné (USNM, Washington); Rachel Galun (Hebrew Univ. of Jerusalem); Eugene J. Gerberg (Insect Control & Res., Inc., Baltimore); Lawrence I. Gilbert (Univ. of North Carolina, Chapel Hill); M.T. Gillies (Univ. of Sussex); R.H. Gooding (Univ. of Alberta); Garth N. Graves (New Mexico State Environ. Improvement Div.); Paul R. Grimstad (Univ. of Notre Dame); Roger H. Grothaus (S.C. Johnson & Son, Inc., Racine); Robert M. Gwadz (NIH, Bethesda); D.E. Hardy (Univ. of Hawaii); James L. Hardy (Univ. of Calif., Berkeley); Bruce A. Harrison (USNM, Washington); W. Keith Hartberg (Georgia Southern Coll.); Walter Hausermann (CIBA-GEIGY, Switzerland); Donald Heyneman (G.W. Hooper Foundation, San Francisco); Charles L. Hogue (Los Angeles County Museum); William R. Horsfall (Univ. of Illinois, Urbana); Phyllis T. Johnson (U.S. Dept. of Commerce, Maryland); Robert H. Jones (USDA, Denver); Jacob Kahn (Inst. of Psychiatry, London); Benjamin Keh (Berkeley); James E. Keirans (NIH, Washington); D.S. Kettle (Univ. of Queensland); R. Killick-Kendrick (Imperial Coll. Field Stn., England); William L. Krinsky (Yale Univ. School of Med.); Goro Kuno (CDC, San Juan); Thomas H. Kunz (Boston Univ.); H. Kurahashi (National Inst. of Health, Tokyo); Marshall Laird (Auckland); Douglas J. Lake (Chas. T. Main, Inc., Boston); James W. LeDuc (U.S. Army Med. Res. Inst. Inf. Dis., Fort Detrick); Arden O. Lea (Univ. of Georgia); Mary Leahy (Mt. St. Mary's Coll., Los Angeles); David

J. Lewis (BMNH, London); John R. Linley (Florida Med. Entomol. Lab.); Michael Locke (Univ. of Western Ontario); W.W. Macdonald (Liverpool School of Trop. Med.); Nyven Marchette (Univ. of Hawaii); Adrian G. Marshall (Univ. of Aberdeen); I. Maudlin (Tsetse Res. Lab., Bristol); G.A.H. McClelland (Univ. of Calif., Davis); Thomas M. McInnis (Clemson Univ.); Marilyn M. Milby (Univ. of Calif., Berkeley); Bryan E. Miller (Boulder Co. Health Dept.); Takeshi Miura (Univ. of Calif., Fresno); D.E. Moorhouse (Univ. of Queensland); Philip B. Morgan (USDA, Gainesville); Mir S. Mulla (Univ. of Calif., Riverside); M.D. Murray (CSIRO, Glebe); M. Nadchatram (National Univ. of Singapore); Roger S. Nasci (McNeese State Univ.); G.S. Nelson (Liverpool School of Trop. Med.); R.A.I. Norval (Veterinary Res. Lab., Zimbabwe); Robert J. Novak (CDC, San Juan); L.L. Pechuman (Cornell Univ.); Robert N. Philip (Hamilton, Montana); Lawrence G. Pickens (USDA, Beltsville); Warren F. Pippin (Homestead, Florida); Fredrick Proshold (USDA, St. Croix); Jorge E. Rabinovich (Inst. Venez. Invest. Cient., Caracas); Garrison Rapmund (Dept. of the Army, Washington); William C. Reeves (Univ. of Calif., Berkeley); William K. Reisen (Univ. of Calif., Bakersfield); Lynn M. Riddiford (Univ. of Washington); D.W. Roberts (Cornell Univ.); William S. Romoser (Ohio Univ., Athens); Louis C. Rutledge (Letterman Army Inst. Res., San Francisco); Raymond E. Ryckman (Loma Linda Univ.); John R. Sauer (Oklahoma State Univ.); C.H. Schaefer (Univ. of Calif., Fresno); Jack A. Seawright (USDA, Gainesville); M.W. Service (Liverpool School of Trop. Med.); Donald A. Shroyer (Univ. of Hawaii); F. Smit (BMNH, London); J. Wendell Snow (USDA, Byron); K.R. Solomon (Univ. of Guelph); R.V. Southcott (Mitcham, S Australia); H. Standfast (CSIRO, Glebe); Harold E. Stark (Trenton, Utah); William W.M. Steiner (USDA, Columbia); J.G. Stoffolano (Univ. of Massachusetts, Amherst); Takeo Tadano (St. Marianna Univ., Kawasaki); I. Barry Tarshis (Patuxent Wildlife Res. Ctr, Laurel, Maryland); H. Teskey (Agric. Canada, Ottawa); J.H. Theis (Univ. of Calif., Davis); Vernon J. Tipton (Brigham Young Univ.); Milan Trpis (Johns Hopkins Univ.); Michael J. Turell (U.S. Army Med. Res. Inst. Inf. Dis., Fort Detrick); William J. Turner (Washington State Univ.); M.G.R. Varma (London School of Hyg. & Trop. Med.); Robert K. Washino (Univ. of Calif., Davis); Douglas M. Watts (WHO, New Delhi); Howard C. Whisler (Univ. of Washington); John O. Whitaker, Jr (Indiana State Univ.); Stephen K. Wikel (Univ. of North Dakota); Willis W. Wirth (Gainesville, Florida); David G. Young (Univ. of Florida); Conrad E. Yunker (USDA, Washington State Univ.); Lauren G. Zárate (Ctr. Invest. Ecol. Sureste, Chiapas, Mexico); Rodrigo Zeledón (Universidad Nacional, Costa Rica).

SPECIAL ACKNOWLEDGMENT

The editors gratefully acknowledge the assistance of Dr Ed O'Shaughnessy in the preparation of the indexes for this volume.